

Certificate of Analysis Cannabinoids

Ing. Christian Fuczik Chemisches Laboratorium Darwingasse 2/46, 1020 Wien E-Mail: info@hanfanalytik.at Tel.: +43 660 867 00 63 www.hanfanalytik.at

Client: SENA FLORA d.o.o. Sample ID: 56800007

Sample material: herbal

Description: Hemp flowers Harvest date: 2021-06-11

Further Information: Carmagnola Erdbeerli; Magic Merry; Strawberry Kush

Sample entry: 2021-06-17 at 13:52

| Abbr. | Substance | Result | Unit | M.U.* |
|-------|---|--------|-------|-------|
| Sa-We | Sample weight | 5.185 | g | - |
| T-CBD | Total Cannabidiol (CBD + CBDA) | 5.05 | w/w % | 0.252 |
| CBD | Cannabidiol | 1.47 | w/w % | 0.074 |
| CBDA | Cannabidiolic acid | 4.08 | w/w % | 0.204 |
| T-THC | Total Tetrahydrocannabinol (THC + THCA) | 0.16 | w/w % | 0.005 |
| D9THC | D9-Tetrahydrocannabinol | 0.05 | w/w% | 0.005 |
| THCA | Tetrahydrocannabinolic acid | 0.12 | w/w% | 0.005 |
| D8THC | D8-Tetrahydrocannabinol | ND** | w/w% | - |
| T-CBG | Total Cannabigerol (CBG + CBGA) | 0.03 | w/w% | 0.005 |
| CBG | Cannabigerol | 0.02 | w/w% | 0.005 |
| CBGA | Cannabigerolic acid | 0.01 | w/w% | 0.005 |
| CBN | Cannabinol | ND** | w/w% | - |
| CBC | Cannabichromene | 0.04 | w/w% | 0.005 |
| THCV | Tetrahydrocannabivarin | ND** | w/w % | - |
| CBDV | Cannabidivarin | ND** | w/w % | - |
| CBDVA | Cannabidivarinic Acid | ND** | w/w % | - |

Picture of sample upon arrival:



Head of Laboratory Services:

Ing. Christian Fuczik, Chemist

Um. Jurich

Analysis finalized and reviewed: 2021-06-21 at 15:44

For the calculations of the equivalence sums, the respective acid forms were multiplied by the factor of 0.877 and 0.878, respectively, to infer the equivalent amount of the neutral forms.

Method of Analysis: HPLC-DAD (High Performance Liquid Chromatography - Diode Array Detector). All measurement methods were calibrated and controlled with certified reference materials (CRM). The measurements with HPLC were carried out strictly according to the USA certified method of the HPLC manufacturer.

This Certificate of Analysis may only be reproduced in its entirety and not in parts. Any change to this document is liable to prosecution

^{*)} The determined measurement uncertainty (M.U.) is always given in the same unit as the specified result.

^{**)} ND = Not Detected. the measured value was below the detection limit of 0,01 % respectively 100 mg/kg.